

PARSON OUTBOARDS Four Stroke



MODELO / MODEL	25	20	15	9.8	8	6	5	4	2.6
CARACTERÍSTICAS / FEATURES									
Large hull / Overall length	mm [in.]	400 x 1836 (31) x 150 (7.9)	368 x 1601 (31) x 142 (5.6)	341 x 1524 (31) x 136 (5.3)	304 (12.3)	285 (11.2)	265 (10.4)	252 (9.9)	243 (9.6)
Beche total / Overall width	mm [in.]	400 x 165 (14.6) x 150 (6)	368 x 1407 (14.6) x 142 (5.6)	341 x 1350 (14.6) x 136 (5.3)	304 (12.3)	285 (11.2)	265 (10.4)	252 (9.9)	243 (9.6)
Altura total / Overall height	mm [in.]	400 x 1368 (41) x 1258 (50)	368 x 1193 (41) x 1148 (45)	341 x 1118 (41) x 1073 (42)	304 x 1043 (41) x 1003 (39)	285 x 1003 (41) x 963 (38)	265 x 963 (38) x 923 (36)	252 x 923 (36) x 883 (34)	243 x 883 (34) x 843 (33)
Longitud cola / Transom height	mm [in.]	304 (12)	285 (11)	265 (10)	252 (10)	243 (9)	234 (9)	225 (9)	216 (9)
Peso / Weight	kg	36.8/80 x 48 x 17.9/20 x 20.3/20 x 21.7/20	31.8/70 x 48 x 17.9/20 x 20.3/20 x 21.7/20	26.8/59 x 48 x 17.9/20 x 20.3/20 x 21.7/20	21.8/48 x 48 x 17.9/20 x 20.3/20 x 21.7/20	20.8/46 x 48 x 17.9/20 x 20.3/20 x 21.7/20	19.8/44 x 48 x 17.9/20 x 20.3/20 x 21.7/20	18.8/42 x 48 x 17.9/20 x 20.3/20 x 21.7/20	17.8/40 x 48 x 17.9/20 x 20.3/20 x 21.7/20
Región de trabajo o plano de Full throttle operating range	rpm	3000-4000	4000-5300	5000-6500	6000-8000	7000-9000	8000-10000	9000-11000	10000-12000
Potencia máxima / Maximum output	hp/kW/PS	25/18.2/26.5 20/14.7/21.5 15/11.0/16.0	20/14.7/21.5 15/11.0/16.0	15/11.0/16.0 10/7.4/10.2	10/7.4/10.2 7.5/5.5/8.0	7.5/5.5/8.0 5.5/4.0/6.5	5.5/4.0/6.5 4.0/3.0/5.0	4.0/3.0/5.0 3.0/2.2/3.0	3.0/2.2/3.0 2.2/1.6/2.2
Rolante (Neutral) / Idling speed (Neutral)	rpm	930-1020			800-900	700-800	620-720	540-640	460-560
Ejeto de motor / Engine type		4-Stroke							2-Stroke
Cilindros / Cylinders		4							2
Cilindrada / Displacement	cm³	499	333	230	148	98	73	51	31
Diámetro por correa / Bore x stroke	mm [in.]	61 x 78.2 (2.4 x 3.1)	51 x 76.2 (2.0 x 3.0)	41 x 74.2 (1.6 x 2.9)	31 x 72.2 (1.2 x 2.8)	21 x 70.2 (0.8 x 2.8)	16 x 68.2 (0.6 x 2.7)	11 x 66.2 (0.4 x 2.6)	7 x 64.2 (0.3 x 2.5)
Sistema de encendido / Ignition system		CDI							CDI
Sistema de control / Control system		Sleeve valve / Fly control / Fly clutch/Bass control			Bass control / Fly control				
Sistema de arranque / Starting system		Start / Remote start / Start by remote control / Start by start button			Start / Remote start				
Cambio de marcha / Gear position		Reverse / Forward / Neutral / Forward/Reverse			Forward/Reverse/Neutral/Forward/Reverse				
Relación engranajes / Gear ratio		2.08/2.12/2.16/2.20/2.24			2.08/2.12/2.16				
Sistema de inclinación / elevación / Trim & tilt system		Manual/Remote/Manual or remote			Manual/Remote				
Capacidad depósito combustible / Fuel tank capacity	l	34			33	Imperial / Imperial 1.2		Imperial / Imperial 1.2	
Consumo máximo / Maximum fuel waste	l/h	9.2	7.2	5.2	4.4	3.8	3.2 & 1.9	2	1.4
Capacidad cante motor / Engine oil capacity	l	1.7		1.5	1.3	0.8	0.5	0.3	0.2
Cap. motor engranajes h / Motor/Gear oil cap. (IM/Start of IM)	cm³	300		300	300	300	300	300	300
Opciones de Hélice / Propeller options	in	30" x 17" x 17" or 31" x 17"			34" x 18"		37" x 19"	37" x 19"	

*Se desliza de la hélice después del arranque, para evitar el golpe. ** Propeller choice will vary by hull size and length.